

FIGURE 1




FIGURE 2




FIGURE 4




FIGURE 5




FIGURE 6

106

CLIENT COMPUTER




FIGURE 7




FIGURE 8




FIGURE 9




FIGURE 10

New Site

Site Address: Port:

Site Alias (optional):

OK Cancel

FIGURE 11

Access Site

Selected Site:

Enter Password:

☐ Save Password

New Site... OK Cancel

FIGURE 12




FIGURE 13



FIGURE 14

Server Settings (version 0.9.5.0)

Server Address (client): 192.168.1.39:80

Root Directory: d:/inetpub/wwwroot

Root Default Document: default.htm

For Unsupported Browsers: Watermark protected Images (Iiled)

Replacement Tag:

Watermark File: watermark.gif

Watermark Saturation: (0 to 1.0) 0.85

Watermark Transparent Color: (0 to 255) 255

Dll Version: 1,0,0,30

Netscape Version: 1,0,0,31

ActiveX Version: 1,0,0,27

Cache Directory: /cache

Duration in Cache: (min) 1440

Cache Monitoring Interval: (min) 1440

Log File Name: cSafeLog.txt

Log Information Level: 0 (critical info)

Contact E-mail: dan@csafe.com

Modify Password... OK Cancel

FIGURE 15




FIGURE 16




FIGURE 17




FIGURE 18

```
VirtualDirectories - Notepad
File Edit Search Help

#####
# VirtualDirectories.properties
# Part of the PixSafe Server Installation
#
# Edit this file manually to enable PixSafe to protect dynamically
# generated HTML or images retrieved by another (third party) server
# The / after the directory name is compulsory
#####
# /cgi-bin/
# /scripts/
# /lpis.htm?
# .asp
#
# PROTECT
# TAGS
# http://101.345.56.52:8081/
# PROTECT
```

FIGURE 19